

British Diptera. I

30

A LIST OF BRITISH DIPTERA.

saltatrix, <i>L.</i>	Agromyzidæ.	Phytomyzidæ.
variegata, <i>Mg.</i>	AULACIGASTER, <i>Mcq.</i>	NAPOMYZA, <i>Hal.</i>
nigriventris, <i>Mcq.</i>	rufitarsis, <i>Mcq.</i>	lateralis, <i>Fln.</i>
keta, <i>Mg.</i>		PHYTOMYZA, <i>Fln.</i>
CENTOR, <i>Lw.</i>		plantaginis, <i>Gour.</i>
cereris, <i>Fln.</i>		nigricans, <i>Mcq.</i>
myopinus, <i>Lw.</i>		albipennis, <i>Fln.</i>
ANTHIRACOPHIAGA, <i>Lw.</i>	lutea, <i>Mg.</i>	notata, <i>Mg.</i>
strigula, <i>F.</i>	pusilla, <i>Mg.</i>	rufipes, <i>Mg.</i>
HAPLEGIS, <i>Lw.</i>	nigripes, <i>Mg.</i>	analis, <i>Ztt.</i>
tarsata, <i>Fln.</i>	flaveola, <i>Fln.</i>	flava, <i>Fln.</i>
EUTROPIA, <i>Lw.</i>	muna, <i>Mg.</i>	populincola, <i>Wlk.</i>
fulvifrons, <i>Hal.</i>	exigua, <i>Mg.</i>	aquilegiae, <i>Hardy.</i>
DIPLOTOXA, <i>Lw.</i>	latipes, <i>Mg.</i>	CHROMATOMYIA, <i>Hardy.</i>
messoria, <i>Fln.</i>	pistaciae, <i>Curt.</i>	ilicis, <i>Curt.</i>
CHLOROPS, <i>Mg.</i>	viole, <i>Curt.</i>	obscurella, <i>Fln.</i>
Meigenii, <i>Lw.</i>	flavonotata, <i>Hal.</i>	nigra, <i>Mg.</i>
tenuipus, <i>Mg.</i>	geniculata, <i>Fln.</i>	athnis, <i>Mg.</i>
speciosa, <i>Mg.</i>		albiceps, <i>Mg.</i>
keta, <i>Mg.</i>	LIOMYZA, <i>Mcq.</i>	flaviceps, <i>Mcq.</i>
scalaris, <i>Mg.</i>	glabricula, <i>Mg.</i>	cinereifrons, <i>Hardy.</i>
gracilis, <i>Mg.</i>	flavipes, <i>Fln.</i>	
cinctipes, <i>Mg.</i>	LEUCOPIS, <i>Mg.</i>	Astiadæ.
lateralis, <i>Hal.</i>	puncticornis, <i>Mg.</i>	ASTIA, <i>Mg.</i>
CHLOROPISCA, <i>Lw.</i>	obscura, <i>Hal.</i>	concinna, <i>Mg.</i>
ornata, <i>Mg.</i>	griseola, <i>Fln.</i>	amena, <i>Mg.</i>
glabrum, <i>Mg.</i>	annulipes, <i>Ztt.</i>	Borboridæ.
OSCINIS, <i>Ltr.</i>	OCHTHIPHILA, <i>Fln.</i>	BORBORUS, <i>Mg.</i>
albiseta, <i>Mg.</i>	polystigma, <i>Mg.</i>	nitidus, <i>Mg.</i>
maura, <i>Fln.</i>	juncorum, <i>Fln.</i>	niger, <i>Mg.</i>
vastator, <i>Curt.</i>	aridella, <i>Fln.</i>	suillorum, <i>Hal.</i>
granarius, <i>Curt.</i>	geniculata, <i>Hal.</i>	equinus, <i>Fln.</i>
SIPHONELLA, <i>Mcq.</i>	maritima, <i>L. Duf.</i>	nigrifemoratus, <i>Mcq.</i>
levigata, <i>Fln.</i>	SCHENOMYZA, <i>Hal.</i>	pallifrons, <i>Fln.</i>
capreolus, <i>Hal.</i>	litorella, <i>Fln.</i>	longipennis, <i>Hal.</i>
palposa, <i>Fln.</i>	fasciata, <i>Mg.</i>	vitripennis, <i>Mg.</i>
ELACHYPTERA, <i>Mcq.</i>		geniculatus, <i>Mcq.</i>
brevipennis, <i>Mg.</i>		pedestris, <i>Mg.</i>
cornuta, <i>Fln.</i>		SPILÆROCERA, <i>Ltr.</i>

A LIST OF BRITISH DIPTERA.

31

vaporariorum, <i>Hal.</i>	GYMNOPIORA, <i>Mcq.</i>	ORNITHOMYIA, <i>Ltr.</i>
pusilla, <i>Fln.</i>	arcuata, <i>Mg.</i>	avicularia, <i>L.</i>
	LIMOSINA, <i>Mcq.</i>	STENOPTERYX, <i>Leach.</i>
	sylvatica, <i>Mg.</i>	hirundinis, <i>L.</i>
	fontinalis, <i>Fln.</i>	OXYPTERUM, <i>Leach.</i>
	limosa, <i>Fln.</i>	pallidum, <i>Leach.</i>
	lutosa, <i>Stnh.</i>	Kirbyanum, <i>Leach.</i>
	pumilio, <i>Mg.</i>	LIPOPTENA, <i>Nitz.</i>
	crassimana, <i>Hal.</i>	cervi, <i>L.</i>
	geniculata, <i>Mcq.</i>	MELOPHAGUS, <i>Ltr.</i>
	ferruginata, <i>Stnh.</i>	ovinus, <i>L.</i>
	ochripes, <i>Mg.</i>	
	scutellaris, <i>Hal.</i>	Braulidæ.
	nivalis, <i>Hal.</i>	BRAULA, <i>Nitz.</i>
	quisquilia, <i>Hal.</i>	ceca, <i>Nitz.</i>
	vitripennis, <i>Ztt.</i>	
	erratica, <i>Hal.</i>	Nycteribidæ.
	chinipes, <i>Mg.</i>	NYCTERIBIA, <i>Ltr.</i>
	spinipennis, <i>Hal.</i>	Latreillii, <i>Leach.</i>
	vagans, <i>Hal.</i>	Hermannii, <i>Leach.</i>
	lugubris, <i>Hal.</i>	
	zosterae, <i>Hal.</i>	
	leucoptera, <i>Hal.</i>	
	nigerrima, <i>Hal.</i>	
	melania, <i>Hal.</i>	
	heteroneura, <i>Hal.</i>	
	acutangula, <i>Ztt.</i>	
		Phoridae.
		CONICERA, <i>Mg.</i>
		atra, <i>Mg.</i>
		similis, <i>Hal.</i>
		PLATYPHORA, <i>Ver.</i>
		Lubbocki, <i>Ver.</i>
		equina, <i>L.</i>

Verso, 1888

Part III:

12

REPUTED BRITISH DIPTERA.

MEROMYZA, <i>Mg.</i>	luctuosa, <i>Mg.</i>	PHYLLOMYZA, <i>Fln.</i>
femorata, <i>Mcq.</i>	orbona, <i>Mg.</i>	securicornis, <i>Fln.</i>
CHLOROPS, <i>Mg.</i>	ornata, <i>Mg.</i>	Borboridae.
confluens, <i>Mg.</i>	reptans, <i>Fln.</i>	THERINA, <i>Mg.</i>
fasciata, <i>Mg.</i>	aenea, <i>Mg.</i>	femoralis, <i>Mg.</i>
elongata, <i>Mg.</i>	CERATOMYZA, <i>Schin.</i>	BORBORUS, <i>Mg.</i>
linenta, <i>F.</i>	acuticornis, <i>Mg.</i>	
OSCINIS, <i>Ltr.</i>	LIOMYZA, <i>Mcq.</i>	glabrifrons, <i>Mg.</i>
polita, <i>Mcq.</i>	kevigata, <i>Mg.</i>	luridus, <i>Mg.</i>
dubia, <i>Mcq.</i>	Phytomyzidae.	sinetarius, <i>Mg.</i>
pallidiventris, <i>Mcq.</i>	PIHYTOMYZA, <i>Fln.</i>	rufipes, <i>Mg.</i>
Frit, <i>L.</i>	apriliina, <i>Gour.</i>	grossipes, <i>L.</i>
phaeoptera, <i>Mg.</i>	primulae, <i>Mcq.</i>	SPILAEROERA, <i>Ltr.</i>
pratensis, <i>Mg.</i>	elegans, <i>Mg.</i>	rufitarsis, <i>Mg.</i>
vindicata, <i>Mg.</i>	nigriventris, <i>Fln.</i>	LIMOSINA, <i>Mg.</i>
nigerina, <i>Mcq.</i>	flavicornis, <i>Fln.</i>	fenestralis, <i>Fln.</i>
cincta, <i>Mg.</i>	praecox, <i>Mg.</i>	Phoridae.
albipalpis, <i>Mg.</i>	atra, <i>Mg.</i>	PIORA, <i>Ltr.</i>
rapta, <i>Mcq.</i>	agromyzina, <i>Mg.</i>	interrupta, <i>Ztt.</i>
Agromyzidae.	fasciata, <i>Mg.</i>	bicolor, <i>Mg.</i>
AGROMYZA, <i>Fln.</i>	glechomae, <i>Kalt.</i>	urbana, <i>Mg.</i>
lacteipennis, <i>Fln.</i>	Milichidæ.	fuliginosa, <i>Mg.</i>
pectinata, <i>Mg.</i>	LOBIOPTERA, <i>Whlb.</i>	lugubris, <i>Mg.</i>
obscurella, <i>Fln.</i>	speciosa, <i>Mg.</i>	nigra, <i>Mg.</i>
mobilis, <i>Mg.</i>	MILICIIA, <i>Mg.</i>	hyalinata, <i>Mg.</i>
gyrans, <i>Fln.</i>	maculata, <i>Mg.</i>	Nycteribidæ.
sordida, <i>Fln.</i>		NYCTERIBIA, <i>Ltr.</i>
scutellata, <i>Fln.</i>		vexata, <i>Westw.</i>
strigata, <i>Mg.</i>		
amoena, <i>Mg.</i>		
variegata, <i>Mg.</i>		
flaviceps, <i>Fln.</i>		
bimaculata, <i>Mg.</i>		
anthracina, <i>Mg.</i>		
pulla, <i>Mg.</i>		

N.B.—I have not collated—

- (1)—The Natural History of Glanville's Wootton by C. W. Dale (1878).
- (2)—F. O. Morris's Catalogue of British Insects (1865).
- (3)—B. Cooke's Catalogue of the Diptera of Lancashire and Cheshire in Proc. Ent. Soc. Lanc. Ches. about 1881.

Consequently additional species and additional information may be obtainable therein.